## CLAIMS

No amendments to the claims are made in this response. However, a listing of the claims is provided, showing the status of each claim for the convenience of the Examiner.

#### Listing of Claims:

 (Withdrawn) A method for routing calls from wireless subscribers based upon mass media events, comprising:

receiving dialed digits from a wireless subscriber;

identifying a mass media event that is associated with the dialed digits;

determining a destination telephone number that is associated with the mass media event; and

routing the subscriber to said destination telephone number.

 (Withdrawn) A method as in claim 1, wherein said identifying step further comprises:

monitoring an audio portion of a mass media broadcast; and analyzing said audio portion to detect at least one predefined event.

- (Withdrawn) A method as in claim 2, wherein said analyzing step utilizes a voice recognition algorithm.
- (Withdrawn) A method as in claim 1, wherein said ascertaining step, further comprises:

monitoring a video portion of a mass media broadcast; and analyzing said video portion to detect at least one predefined event.

(Withdrawn) A method as in claim 1, wherein said determining step further depends upon a location of said mobile subscriber.

- (Withdrawn) A method as in claim 1, wherein the dialed digits comprise digits that identify a mass media broadcaster.
- (Withdrawn) A wireless communications system for providing call services to wireless subscribers comprising:
- a Mobile Switching Center (MSC) for routing calls from said wireless subscribers to destination telephone numbers; and
- a database having programming information for one or more mass media broadcasters, wherein the MSC is linked to the database;

and wherein mass media broadcast information is used to modify routing for selected calls placed by the wireless subscribers.

- (Withdrawn) The system of claim 7 wherein said database comprises information regarding an audio portion of a broadcast from at least one of said mass media broadcasters.
- (Withdrawn) The system of claim 7 further comprising a speech recognition processor that analyzes an audio portion of a mass media broadcast utilizing a voice recognition algorithm.
- (Withdrawn) The system of claim 9 wherein said mass media broadcast information includes at least one keyword that is detected by said voice recognition algorithm.
- 11. (Withdrawn) The system of claim 7 wherein said database comprises information regarding a video portion of a broadcast from at least one of said mass media broadcasters.
- (Withdrawn) The system of claim 7 wherein a wireless subscriber's call is routed at least in part based upon a geographical location of the subscriber.
- 13. (Withdrawn) A method for providing information to a wireless device that is in communication with a wireless network, comprising:

monitoring the status of the wireless device by detecting messages on the wireless network:

retrieving information from the Internet, wherein the information is collected by information agents configured by a wireless subscriber; and

sending said retrieved information to the wireless device.

- (Withdrawn) The method of claim 13 wherein said retrieved information is sent to the wireless device in the form a Short Message Service (SMS) message.
- (Withdrawn) The method of claim 13 wherein said retrieved information is sent to the wireless device in the form of Handheld Device Markup Language (HDML).
- (Withdrawn) The method of claim 13 wherein said retrieved information is sent to the wireless device in the form an applet.
- 17. (Withdrawn) The method of claim 13 wherein the status of the wireless device is detected based on event triggers logically combined with network control messages.
- 18. (Withdrawn) The method of claim 17 wherein the network control messages comprise messages that indicate presence on the wireless network.
- (Withdrawn) The method of claim 17 wherein the network control messages comprise IS-41 messages.
- (Previously presented) A method for providing information to users via communications devices associated with said users, said method comprising the steps of:

receiving a digits request trigger from a communication device, wherein the digits request trigger is a signaling message that is associated with a call set-up process, the digits request trigger comprising dialed digits or a feature code, whereby a communications network attempts to establish a call connection between a user that initiates the digits request trigger and a called number associated with said dialed digits or feature code;

identifying a user associated with said digits request trigger;

correlating said digits request trigger with specific information requests for said user;

retrieving said specific information; and

sending said retrieved information to said communication device for display to said user.

#### (Canceled)

22. (Previously presented) A system for providing information to a wireless network subscriber in response to a digits request trigger or a SMS origination message, comprising:

means for receiving said digits request trigger from said wireless network, wherein the digits request trigger is a signaling message that is associated with a call set-up process, the digits request trigger comprising dialed digits or a feature code, whereby a telecommunications network attempts to establish a call connection between a user that initiates the digits request trigger and a called number associated with said dialed digits or feature code;

means for correlating said digits request trigger to requested data, wherein said correlating means accesses a user profile database to identify said requested information for a particular digits request trigger;

means for retrieving data corresponding to said digits request trigger; and means for sending said retrieved data to a user who initiated said digits request trigger.

#### (Canceled)

## (Canceled)

# 25. (Withdrawn) A database comprising:

data records associated with a plurality of wireless network subscribers, wherein said data records correlate a digits request trigger to requested data that is to be sent to said subscribers, wherein the digits request trigger comprises dialed digits or a feature code, whereby a telecommunications network attempts to establish a call connection between a user that initiates the digits request trigger and a called number associated said dialed digits or feature code; and

a computer network interface providing said subscribers with access to said data records and allowing said subscribers to modify at least one data record.

26. (Previously Presented) An information system for a wireless network comprising: a wireless web information services gateway coupled to said wireless network and capable of receiving digits request triggers from said wireless network, wherein the digits request trigger is a signaling message that is associated with a call set-up process, the digits request trigger comprising dialed digits or a feature code, whereby a telecommunications network attempts to establish a call connection between a user that initiates the digits request trigger and a called number associated said dialed digits or feature code;

means for correlating digits request triggers to requested information, wherein said correlating means accesses a user profile database to identify said requested information for particular digits request trigger;

means for retrieving said requested information; and means for sending said requested information to subscribers on said wireless network.